



**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re the Application of: **Takuya HIRANO**

Group Art Unit: **2135**

Application Number: **09/787,029**

Examiner: **Ponnoreay Pich**

Filed: **March 13, 2001**

Confirmation Number: **8139**

For: **QUANTUM CIPHER COMMUNICATION SYSTEM**

Attorney Docket Number: **010294**

Customer Number: **38834**

**INFORMATION DISCLOSURE STATEMENT**  
**UNDER 37 C.F.R. §1.97(d)/(e)(1)**

Commissioner for Patents  
P. O. Box 1450  
Alexandria, VA 22313-1450

October 19, 2007

Sir:

Applicants direct the attention of the Patent and Trademark Office to the documents listed on the attached PTO/SB/08. A copy of each non- U.S. document is attached.

This Information Disclosure Statement is being submitted after mailing of a final action, a Notice of Allowance, or an action that otherwise closes prosecution in the application, but before or concurrent with payment of the Issue Fee.

The U. S. Patent and Trademark Office is authorized to charge the \$180.00 fee set forth in 37 C.F.R. §1.17(p) to Deposit Account No. 50-2866.

The undersigned hereby certifies that each item of information contained in the Information Disclosure Statement was first cited in any communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of the Information Disclosure Statement. A copy of the foreign communication citing the documents is attached.

10/22/2007 AWONDAF2 00000072 09787029


03 FC:1006

100.00 0P

Information Disclosure Statement under 1.97(d)  
Attorney Docket No. 010294  
Application No. 09/787,029

If there are any fees due in connection with the filing of this paper, please charge Deposit  
Account No. 50-2866.

Respectfully submitted,  
**WESTERMAN, HATTORI, DANIELS & ADRIAN, LLP**



Thomas E. Brown  
Attorney for Applicants  
Registration No. 44,450  
Telephone: (202) 822-1100  
Facsimile: (202) 822-1111

TEB/nrp/mra

Enclosures: PTO/SB/08  
Japanese Office Action  
2 Documents  
Check for \$180.00